



Trip Report

**The three Colombian Andes: Central, Western and Eastern Cordillera plus Chocó
bioregion and Cauca valley river specialties.**

Nov 19 to Dec 2/2018

Edwin Acevedo

Tour leader Native Birding Colombia



Gray-breasted mountain Toucan

This classic tour visited the well known and very good access places on Andes to enjoy of its rich avifauna, We were moving on premontane, humid, dry and highland forest and Paramo ecosystem. The weather was excellent with sunny days; but most of the time we were under shadow, different from the

first day along Porce area and day five in Bolombolo area near Cauca river which were hot; some rains at nights in some places and one morning in Tatamá N P; but did not affected our goals, birds were very active and the birders were so focused and skilled; transfers on time; everything flowed as desired; which is always our aim. Predominant bird Families were (Thraupidae) 79 taxa, Hummingbirds (Trochilidae) and Tyrant -Flycatchers 49 taxa each one. It was very ample about bird groups diversity. We shared lovely memories on field and everyone was satisfied !

This bird list follows broadly the taxonomy of South American Classification Committee SACC (2018). Each specie has the locality were it was recorded more easy; some of the birds could be seen in different spots.

Recorded taxa

DUCKS & GEESE: Anatidae

Ruddy Duck - *Oxyura jamaicensis* (On Sumapaz lagoon)
Torrent Duck - *Merganetta armata* (Otún)
Andean Teal - *Anas andium* (On Sumapaz lagoon)

GUANS, CHACHALACAS & CURASSOWS: Cracidae

Sickle-winged Guan - *Chamaepetes goudotii* (La Romera R)
Andean Guan - *Penelope montagnii* (Hacienda El Bosque)
Cauca Guan - *Penelope perspicax* Endemic/ Endangered (Otún Q)
Wattled Guan - *Aburria aburri* Near Threatened
Colombian Chachalaca - *Ortalis columbiana* Endemic (Piha reserve)

NEW WORLD QUAILS: Odontophoridae

Chestnut Wood-Quail - *Odontophorus hyperythrus* Endemic - Near Threatened (Not easy anywhere)

GREBES Podicipedidae

Least Grebe - *Tachybaptus dominicus* (On Sumapaz lagoon)
Pied-billed Grebe - *Podilymbus podiceps* " " "

PIGEONS & DOVES: Columbidae

Rock Pigeon - *Columba livia* (Around towns)
Band-tailed Pigeon - *Patagioenas fasciata* (Yellow -eared parrot R)
White-tipped Dove - *Leptotila verreauxi* (Porce area)
Eared Dove - *Zenaida auriculata* " "
Ruddy Ground Dove - *Columbina talpacoti* " "

CUCKOOS: Cuculidae

Smooth-billed Ani - *Crotophaga ani* (Porce area)
Squirrel Cuckoo - *Piaya cayana* (La Romera R)

NIGHTHAWKS & NIGHTJARS: Caprimulgidae

Band-winged Nightjar - *Systellura longirostris* (Río Blanco reserve)

SWIFTS: Apodidae

White-collared Swift - *Streptoprocne zonaris* (Chicaque R)

HUMMINGBIRDS: Trochilidae

White-necked Jacobin - *Florisuga mellivora* (Piha reserve)
Tawny-bellied Hermit - *Phaethornis syrmatorphorus* (Río Blanco reserve)
Green-fronted Lancebill - *Doryfera ludovicae* (One ind. in Piha reserve)
Wedge-billed Hummingbird - *Schistes geoffroyi* (One ind. Río Blanco reserve)
Brown Violetear - *Colibri delphinae* (Río Blanco reserve)
Lesser Violetear - *Colibri thalassinus* " " "
Sparkling Violetear - *Colibri coruscans* (Chicaque R)
Black-throated Mango - *Anthracothorax nigricollis* (Porce area)
Amethyst-throated Sunangel - *Heliangelus amethysticollis* (Sumapaz NP)
Tourmaline Sunangel - *Heliangelus exortis* (Yellow-eared Parrot reserve)
Green Thorntail - *Discosura conversii* (One ind. Tatamá NP)
Speckled Hummingbird - *Adelomyia melanogenys* (Río Blanco reserve)
Long-tailed Sylph - *Agelaiocercus kingii* " " "
Violet-tailed Sylph - *Agelaiocercus coelestis* Near endemic (Tatamá NP)
Purple-backed Thornbill - *Ramphomicron microrhynchum* (Nevados NP)
Rainbow-bearded Thornbill - *Chalcostigma herrani* " "
Buffy Helmetcrest - *Oxygogon stubelii* Endemic Endangered (One indiv. in Nevado NP)
Green-bearded Helmetcrest - *Oxygogon guerinii* Endemic (One ind. in Sumapaz NP)
Tyrian Metaltail - *Metallura tyrianthina* (Piha reserve)
Greenish Puffleg - *Haplophaedia aureliae* (La Romera reserve)
Black-thighed Puffleg - *Eriocnemis derby* Near endemic/threatened (Around hotel Termals)
Golden-breasted Puffleg - *Eriocnemis mosquera* " "
Shining Sunbeam - *Aglaeactis cupripennis* " "
Bronzy Inca - *Coeligena coeligena*
Brown Inca - *Coeligena wilsoni* Near endemic (Easy in Tatama NP)
Black Inca - *Coeligena prunellei* Endemic/Vulnerable/Near threatened (One ind. in Chicaque)
Collared Inca - *Coeligena torquata* (Río Blanco reserve)
Buff-winged Starfrontlet - *Coeligena lutetiae* (Around hotel Termals)
Blue-throated Starfrontlet - *Coeligena helianthea* Near endemic (Sumapaz NP)
Mountain Velvetbreast - *Lafresnaya lafresnayi* (Chicaque R)

Sword-billed Hummingbird - <i>Ensifera ensifera</i>	(Hacienda El Bosque)
Great Sapphirewing - <i>Pterophanes cyanopterus</i>	(Around hotel Termales)
Buff-tailed Coronet - <i>Boissonneaua flavescens</i>	(very common and aggressive in Rio Blanco)
Velvet-purple Coronet - <i>Boissonneaua jardini</i>	Near endemic (Easy in Tatamá NP)
Booted Racket-tail - <i>Ocreatus underwoodii</i>	(One ind. in Rio Blanco)
White-tailed Hillstar - <i>Urochroa bougueri</i>	(Easy in Tatamá NP)
Purple-bibbed Whitetip - <i>Urostitte benjamini</i>	" "
Fawn-breasted Brilliant - <i>Heliodoxa rubinoides</i>	" "
Green-crowned Brilliant - <i>Heliodoxa jacula</i>	(Piha reserve)
Empress Brilliant - <i>Heliodoxa imperatrix</i>	Near endemic (Easy in Tatamá NP)
White-bellied Woodstar - <i>Chaetocercus mulsant</i>	(one ind. in Rio Blanco)
Gorgeted Woodstar - <i>Chaetocercus heliodor</i>	(Jardín Encantado feeders)
Purple-throated Woodstar - <i>Calliphlox mitchellii</i>	Near endemic (Easy in Tatamá NP)
Western Emerald - <i>Chlorostilbon melanorhynchus</i>	" "
Crowned Woodnymph - <i>Thalurania colombica</i>	(Tatamá NP)
Rufous-tailed Hummingbird - <i>Amazilia tzacatl</i>	(Porce area)
Andean Emerald - <i>Amazilia franciae</i>	(Piha reserve)
Steely-vented Hummingbird - <i>Amazilia saucerrottei</i>	(Easy in Tatamá NP)
Indigo-capped Hummingbird - <i>Amazilia cyanifrons</i>	Endemic (Jardín Encantado feeders)

RAILS, CRAKES & COOTS: Rallidae

Bogota Rail - <i>Rallus semiplumbeus</i>	Endemic Endangered (Sumapaz NP)
Spot-flanked Gallinule - <i>Porphyriops melanop</i>	(Sumapaz NP)
Common Gallinule - <i>Gallinula galeata</i>	" "
American Coot - <i>Fulica americana</i>	" "

PLOVERS: Charadriidae

Southern Lapwing - <i>Vanellus chilensis</i>	(Porce area)
---	--------------

SANDPIPERS, SNIPES & PHALAROPES: Scolopacidae

Pectoral Sandpiper - <i>Calidris melanotos</i>	(Porce area)
Noble Snipe - <i>Gallinago nobilis</i>	Near-threatened
Solitary Sandpiper - <i>Tringa solitaria</i>	(Porce area)

ANHINGA & CORMORANTS: Phalacrocoracidae

Neotropic Cormorant - <i>Phalacrocorax brasilianus</i>	(Porce area)
---	--------------

HERONS, EGRETS & BITTERS: Ardeidae

Black-crowned Night-Heron - <i>Nycticorax nycticorax</i>	(Porce area)
Striated Heron - <i>Butorides striata</i>	" "
Cattle Egret - <i>Bubulcus ibis</i>	

Cocoi Heron - <i>Ardea cocoi</i>	“	“
Great Egret - <i>Ardea alba</i>		
Snowy Egret - <i>Egretta thula</i>	“	“
Little Blue Heron - <i>Egretta caerulea</i>	“	“

IBISES AND SPOONBILLS: Threskiornithidae

Bare-faced Ibis - <i>Phimosus infuscatus</i>	(Porce area)
---	---------------

VULTURES AND CONDORS: Cathartidae

Turkey Vulture - <i>Cathartes aura</i>	(Porce area)
Lesser Yellow-headed Vulture - <i>Cathartes burrovianus</i>	“
Black Vulture - <i>Coragyps atratus</i>	(everywhere)
Andean Condor - <i>Vultur gryphus</i> Near-threatened	(Flying over Nevados N P)

OSPREY: Pandionidae

Osprey - <i>Pandion haliaetus</i>	(Porce area)
--	---------------

KITES, HAWKS & EAGLES: Accipitridae

White-tailed Kite - <i>Elanus leucurus</i>	(Porce area)
Swallow-tailed Kite - <i>Elanoides forficatus</i>	(Piha and Tatamá NP)
Black Hawk-Eagle - <i>Spizaetus tyrannus</i>	(Tatamá NP)
Sharp-shinned Hawk - <i>Accipiter striatus</i>	(Otún Q.)
Savanna Hawk - <i>Buteogallus meridionalis</i>	(Flying over Porce Area)
Roadside Hawk - <i>Rupornis magnirostris</i>	(Porce area)
White-tailed Hawk - <i>Geranoaetus albicaudatus</i>	(Río Blanco reserve)
Black-chested Buzzard-Eagle - <i>Geranoaetus melanoleucus</i>	(Flying over Nevados NP)
Gray-lined Hawk - <i>Buteo nitidus</i>	(Porce Area)
Broad-winged Hawk - <i>Buteo platypterus</i>	(Yellow-eared Parrot reserve)

TYPICAL OWLS: Strigidae

Tropical Screech - <i>Owl Megascops choliba</i>	(Piha R)
Colombian Screech-Owl - <i>Megascops colombianus</i>	(Tatamá NP)
Andean Pygmy-Owl - <i>Glaucidium jardinii</i>	(Chicaque R)
Stygian Owl - <i>Asio stygius</i>	(Río Blanco reserve)

QUETZALS & TROGONS: Trogonidae

Golden-headed Quetzal - <i>Pharomachrus auriceps</i>	(Río Blanco reserve)
Collared Trogon - <i>Trogon collaris</i>	“
Masked Trogon - <i>Trogon personatus</i>	(Tatamá NP)

MOTMOTS: Momotidae

Tody Motmot - <i>Hylomanes momotula</i>	(Porce Area)
--	--------------

Broad-billed Motmot - *Electron platyrhynchum* (Porce Area)

Andean Motmot - *Momotus aequatorialis* (Río Blanco reserve)

KINGFISHERS: Alcedinidae

Ringed Kingfisher - *Megaceryle torquata* (Porce Area)

Green Kingfisher - *Chloroceryle americana* " "

PUFFBIRDS: Bucconidae

Moustached Puffbird - *Malacoptila mystacalis* (Cauca-Bolombolo area)

Lanceolated Monklet - *Micromonacha lanceolata* (Piha reserve)

BARBETS: Capitonidae

White-mantled Barbet - *Capito hypoleucus* Endemic (Piha reserve)

Red-headed Barbet - *Eubucco bourcierii* (Piha reserve)

TOUCAN BARBET: Semnornithidae

Toucan Barbet - *Semnornis ramphastinus* Near Endemic (Tatamá NP)

TOUCANS: Ramphastidae

Emerald Toucanet - *Aulacorhynchus prasinus* (La Romera reserve)

Crimson-rumped Toucanet - *Aulacorhynchus haematopygus* (Jardín area)

Gray-breasted Mountain-Toucan - *Andigena hypoglauca* Near-threatened (Hacienda El Bosque)

Black-billed Mountain-Toucan - *Andigena nigrirostris* (Río Blanco reserve)

WOODPECKERS: Picidae

Olivaceous Piculet - *Picumnus olivaceus* (Porce area)

Grayish Piculet - *Picumnus granadensis* Endemic (Montezuma Farm)

Acorn Woodpecker - *Melanerpes formicivorus* (Río Blanco)

Red-crowned Woodpecker - *Melanerpes rubricapillus* (Porce area)

Smoky-brown Woodpecker - *Picoides fumigatus* (Tatamá NP)

Choco Woodpecker - *Veniliornis chocoensis* Near Endemic/threatened (Tatamá NP)

Powerful Woodpecker - *Campephilus pollens* (Río Blanco reserve)

Lineated Woodpecker - *Dryocopus lineatus* (Porce area)

Golden-olive Woodpecker - *Colaptes rubiginosus* (Jardín area)

Crimson-mantled Woodpecker - *Colaptes rivolii* (Río Blanco reserve)

Spot-breasted Woodpecker - *Colaptes punctigula* (Porce area)

FALCONS AND CARACARAS: Falconidae

Crested Caracara - *Caracara cheriway* (Porce area)

Yellow-headed Caracara - *Milvago chimachima* " "

American Kestrel - *Falco sparverius* (Río Blanco reserve)

PARROTS: Psittacidae

Orange-chinned Parakeet - *Brotogeris jugularis* (Porce area)

Speckle-faced Parrot - *Pionus tumultuosus* (Otún Q)

Blue-headed Parrot - *Pionus menstruus* (Porce area)

Bronze-winged Parrot - *Pionus chalcopterus* " "

Spectacled Parrotlet - *Forpus conspicillatus* (Porce area)

Brown-breasted Parakeet - *Pyrrhura calliptera* Endemic Vulnerable/Endangered (Sumapaz)

Brown-throated Parakeet - *Eupsittula pertinax* (Porce area)

Golden-plumed Parakeet - *Leptosittaca branickii* Vulnerable (Río Blanco reserve)

Yellow-eared Parrot - *Ognorhynchus icterotis* Endangered (its reserve)

ANTBIRDS: Thamnophilidae

Great Antshrike - *Taraba major* (Porce area)

Bar-crested Antshrike - *Thamnophilus multistriatus* " "

Black-crowned Antshrike - *Thamnophilus atrinucha* (Cauca river Area)

Uniform Antshrike - *Thamnophilus unicolor* (Piha reserve)

Plain Antvireo - *Dysithamnus mentalis* (Piha reserve)

Bicolored Antvireo - *Dysithamnus occidentalis* Near Endemic Vulnerable

Checker-throated Antwren - *Epinecrophylla fulviventris* (Porce area)

Slaty Antwren - *Myrmotherula schisticolor* (Otún Q)

Yellow-breasted - *Antwren Herpsilochmus axillaris* Vulnerable

Streak-headed Antbird - *Drymophila striaticeps* (Río Blanco reserve)

Parker's Antbird - *Cercomacroides parkeri* Endemic (Piha reserve)

ANTPITTAS & GNATEATERS: Conopophagidae, Grallariidea

Chestnut-crowned Gnateater - *Conopophaga castaneiceps* (Piha reserve)

Chestnut-crowned Antpitta - *Grallaria ruficapilla* (Rio Blanco reserve)

Bicolored Antpitta - *Grallaria rufocinerea* Near Endemic Vulnerable (Rio Blanco)

Rufous Antpitta - *Grallaria rufula* (Hacienda El Bosque)

Tawny Antpitta - *Grallaria quitensis* (Nevado NP)

Brown-banded Antpitta - *Grallaria milleri* Endemic Vulnerable Endangered

Slate-crowned Antpitta - *Grallaricula nana* (Nevado NP)

Crescent-faced Antpitta - *Grallaricula lineifrons* Near Endemic Near-threatened (Hacienda El Bosque)

TAPACULOS: Rhinocryptidae

Ocellated Tapaculo - *Acropternis orthonyx* (Tatamá NP)

Blackish Tapaculo - *Scytalopus latrans* (Rio Blanco reserve)

White-crowned Tapaculo - *Scytalopus atratus* (Piha reserve)

Stiles's Tapaculo - <i>Scytalopus stilesi</i>	Endemic Endangered	(Piha reserve)
Nariño Tapaculo - <i>Scytalopus viciniior</i>	Near Endemic	(Tatamá NP)
Tatama tapaculo - <i>Scytalopus alvarezlopezi</i>	Endemic SNE	" "
Pale-bellied Tapaculo - <i>Scytalopus griseicollis</i>	Near Endemic	Sumapaz NP

OVENBIRDS: Furnariidae

Tyrannine Woodcreeper - <i>Dendrocincla tyrannina</i>		(Tatamá NP)
Strong-billed Woodcreeper - <i>Xiphocolaptes promeropirhynchus</i>		(Otún Q)
Cocoa Woodcreeper - <i>Xiphorhynchus susurrans</i>		" "
Olive-backed Woodcreeper - <i>Xiphorhynchus triangularis</i>		" "
Brown-billed Scythebill - <i>Campylorhamphus pusillus</i>		(Piha reserve)
Streak-headed Woodcreeper - <i>Lepidocolaptes souleyetii</i>		(Porce area)
Montane Woodcreeper - <i>Lepidocolaptes lacrymiger</i>		(Río Blanco reserve)
Streaked Xenops - <i>Xenops rutilans</i>		" "
Buffy Tuftedcheek - <i>Pseudocolaptes lawrencii</i>		(Tatamá NP)
Streaked Tuftedcheek - <i>Pseudocolaptes boissonneautii</i>		(Río Blanco reserve)
Chestnut-winged Cinclodes - <i>Cinclodes albidiventris</i>		(Sumapaz NP)
Stout-billed Cinclodes - <i>Cinclodes excelsior</i>		(Nevados NP)
Slaty-winged Foliage-gleaner - <i>Philydor fuscipenne</i>		(Porce area)
Buff-fronted Foliage-gleaner - <i>Philydor rufum</i>		(Piha reserve)
Montane Foliage-gleaner - <i>Anabacerthia striaticollis</i>		" "
Scaly-throated Foliage-gleaner - <i>Anabacerthia variegaticeps</i>		(Tatamá NP)
Lineated Foliage-gleaner - <i>Syndactyla subalaris</i>		(Piha reserve)
Flammulated Treehunter - <i>Thripadectes flammulatus</i>		(Tatamá NP)
Striped Treehunter - <i>Thripadectes holostictus</i>		(Piha reserve)
Spotted Barbtail - <i>Premnoplex brunnescens</i>		(La Romera reserve)
Fulvous-dotted Treerunner - <i>Margarornis stellatus</i>	Near-threatened	(Tatamá NP)
Pearled Treerunner - <i>Margarornis squamiger</i>		(Rio Blanco reserve)
Andean Tit-Spinetail - <i>Leptasthenura andicola</i>		(Nevados NP)
White-browed Spinetail - <i>Hellmayrea gularis</i>		(Yellow-eared Parrot reserve)
Many-striped Canastero - <i>Asthenes flammulata</i>		(Sumapaz NP)
White-chinned Thistletail - <i>Asthenes fuliginosa</i>		(Nevados NP)
Red-faced Spinetail - <i>Cranioleuca erythroptus</i>		(Otun Q)
Silvery-throated Spinetail - <i>Synallaxis subpudica</i>	Endemic	(Sumapaz NP)
Pale-breasted Spinetail - <i>Synallaxis albescens</i>		(Porce area)
Azara's Spinetail - <i>Synallaxis azarae</i>		(Río Blanco reserve)
Rufous Spinetail - <i>Synallaxis unirufa</i>		(Montezuma)

TYRANT - FLYCATCHERS: Tyrannidae

Black-capped Tyrannulet - <i>Phyllomyias nigrocapillus</i>		(Río Blanco reserve)
Ashy-headed Tyrannulet - <i>Phyllomyias cinereiceps</i>		" "
Tawny-rumped Tyrannulet - <i>Phyllomyias uropygialis</i>		(Sumapaz NP)

Yellow-crowned Tyrannulet - <i>Tyrannulus elatus</i>	(Porce area)
Yellow-bellied Elaenia - <i>Elaenia flavogaster</i>	" "
Mountain Elaenia - <i>Elaenia frantzii</i>	(Yellow-eared Parrot reserve)
White-tailed Tyrannulet - <i>Mecocerculus poecilocercus</i>	(Río Blanco reserve)
White-banded Tyrannulet - <i>Mecocerculus stictopterus</i>	" "
White-throated Tyrannulet - <i>Mecocerculus leucophrys</i>	(Hacienda El Bosque)
Torrent Tyrannulet - <i>Serpophaga cinerea</i>	(Otún Q)
Bronze-olive Pygmy-Tyrant - <i>Pseudotriccus pelzelni</i>	(Tatamá NP)
Rufous-headed Pygmy-Tyrant - <i>Pseudotriccus ruficeps</i>	(Rio Blanco reserve)
Golden-faced Tyrannulet - <i>Zimmerius chrysops</i>	(Porce area)
Marble-faced Bristle-Tyrant - <i>Phylloscartes ophthalmicus</i>	(La Romera Reserve)
Streak-necked Flycatcher - <i>Mionectes striaticollis</i>	(Río Blanco reserve)
Ochre-bellied Flycatcher - <i>Mionectes oleagineus</i>	(Porce area)
Rufous-breasted Flycatcher - <i>Leptopogon rufipectus</i>	(Otún Q)
Ornate Flycatcher - <i>Myiobicicus ornatus</i>	(Piha reserve)
Scale-crested Pygmy-Tyrant - <i>Lophotriccus pileatus</i>	(Piha reserve)
Black-throated Tody-Tyrant - <i>Hemitriccus granadensis</i>	(Yellow-eared Parrot reserve)
Rufous-crowned Tody-Flycatcher - <i>Poecilatriccus ruficeps</i>	(Rio Blanco reserve)
Common Tody-Flycatcher - <i>Todirostrum cinereum</i>	(Porce area)
Fulvous-breasted Flatbill - <i>Rhynchocyclus fulvipectus</i>	(Piha reserve)
Cinnamon Flycatcher - <i>Pyrrhomyias cinnamomeus</i>	(Río Blanco reserve)
Handsome Flycatcher - <i>Nephelomyias pulcher</i>	(Tatamá NP)
Acadian Flycatcher - <i>Empidonax virescens</i>	(La Romera Reserve)
Smoke-colored Pewee - <i>Contopus fumigatus</i>	(Tatamá NP)
Western Wood-Pewee - <i>Contopus sordidulus</i>	(Tatamá NP)
Eastern Wood-Pewee - <i>Contopus virens</i>	(Tatamá NP)
Tropical Pewee - <i>Contopus cinereus</i>	(La Romera Reserve)
Black Phoebe - <i>Sayornis nigricans</i>	(Otún Q)
Vermilion Flycatcher - <i>Pyrocephalus rubinus</i>	(Porce area)
Streak-throated Bush-Tyrant - <i>Myiotheretes striaticollis</i>	(Yellow-eared Parrot reserve)
Smoky Bush-Tyrant - <i>Myiotheretes fumigatus</i>	(Yellow-eared Parrot reserve)
Crowned Chat-Tyrant - <i>Ochthoeca frontalis</i>	(Río Blanco reserve)
Yellow-bellied Chat-Tyrant - <i>Ochthoeca diadema</i>	" "
Slaty-backed Chat-Tyrant - <i>Ochthoeca cinnamomeiventris</i>	" "
Rufous-breasted Chat-Tyrant - <i>Ochthoeca rufipectoralis</i>	(Nevados NP)
Brown-backed Chat-Tyrant - <i>Ochthoeca fumicolor</i>	" "
Cattle Tyrant - <i>Machetornis rixosa</i>	(Porce area)
Piratic Flycatcher - <i>Legatus leucophaeus</i>	" "
Rusty-margined - <i>Flycatcher Myiozetetes cayanensis</i>	" "
Great Kiskadee - <i>Pitangus sulphuratus</i>	" "
Lemon-browed Flycatcher - <i>Conopias cinchoneti</i>	Vulnerable (Tatamá NP)
Golden-crowned Flycatcher - <i>Myiodynastes chrysocephalus</i>	(Porce area)
Streaked Flycatcher - <i>Myiodynastes maculatus</i>	" "

Tropical Kingbird - <i>Tyrannus melancholicus</i>	“	“
Fork-tailed Flycatcher - <i>Tyrannus savana</i>		(Porce area)
Pale-edged Flycatcher - <i>Myiarchus cephalotes</i>		(Río Blanco reserve)

COTIGAS: Cotingidae

Green-and-black Fruiteater - <i>Pipreola riefferii</i>	(Río Blanco R)
Barred Fruiteater - <i>Pipreola arcuata</i>	(Hacienda el Bosque)
Orange-breasted Fruiteater - <i>Pipreola jucunda</i>	Near endemic
Red-crested Cotinga - <i>Ampelion rubrocristatus</i>	(Yellow-eared Parrot R)
Andean Cock-of-the-rock - <i>Rupicola peruvianus</i>	(Jardín area)
Purple-throated Fruitcrow - <i>Querula purpurata</i>	(Porce area)
Red-ruffed Fruitcrow - <i>Pyroderus scutatus</i>	(Very common in Otún Q)
Chestnut-capped Piha - <i>Lipaugus weberi</i>	Endemic Critically
Dusky Piha - <i>Lipaugus fuscocinereus</i>	(Río Blanco R)

MANAKINGS: Pipridae

Yellow-headed Manakin - <i>Chloropipo flavicapilla</i>	(La Romera R)
Golden-winged Manakin - <i>Masius chrysopterus</i>	(Tatamá NP)
White-bearded Manakin - <i>Manacus manacus</i>	(Porce Area)
Club-winged Manakin - <i>Machaeropterus deliciosus</i>	(Tatamá NP)
White-crowned Manakin - <i>Dixiphia pipra</i>	(Piha R)

TITYRAS, SCHIFFORNIS AND BECARDS: Tityridae

Barred Becard - <i>Pachyramphus versicolor</i>	(Río Blanco R)
Cinnamon Becard - <i>Pachyramphus cinnamomeus</i>	(Porce area)
White-winged Becard - <i>Pachyramphus polychopterus</i>	(La Romera R)

VIREOS & GREENLETS: Vireonidae

Black-billed Peppershrike - <i>Cyclarhis nigrirostris</i>	(Otún Q)
Rufous-naped Greenlet - <i>Pachysylvia semibrunnea</i>	“ ”
Brown-capped Vireo - <i>Vireo leucophrys</i>	(Río Blanco)
Red-eyed Vireo - <i>Vireo olivaceus</i>	(Otún Q)

JAYS: Corvidae

Black-collared Jay - <i>Cyanolyca armillata</i>	Near endemic	(Río Blanco)
Beautiful Jay - <i>Cyanolyca pulchra</i>	Near endemic , Threatened, Vulnerable	(Tatamá NP)
Black-chested Jay - <i>Cyanocorax affinis</i>	(Piha reserve)	
Green Jay - <i>Cyanocorax yncas</i>	“ ”	

SWALLOWS: Hirundinidae

Blue-and-white Swallow - <i>Pygochelidon cyanoleuca</i>	(Porce area)
--	--------------

Brown-bellied Swallow - *Orochelidon murina* (Río Blanco)
Southern Rough-winged Swallow - *Stelgidopteryx ruficollis* (Porce area)

WRENS: Troglodytidae

House Wren - *Troglodytes aedon* (Porce area)
Mountain Wren - *Troglodytes solstitialis* (Río Blanco)
Sedge Wren - *Cistothorus platensis* (Nevados NP)
Apolinar's Wren - *Cistothorus apolinari* Endemic Endangered
Sooty-headed Wren - *Pheugopedius spadix* Near endemic
Antioquia Wren - *Thryophilus sernai* Endemic SNE
Rufous Wren - *Cinnycerthia unirufa* (Tatamá NP)
Sharpe's Wren - *Cinnycerthia olivascens* " "
Gray-breasted Wood-Wren - *Henicorhina leucophrys* (La Romera)
Munchique Wood-Wren - *Henicorhina negretti* Endemic Critically endang/Vulnerable (Tatamá NP)

GNATCHATCHERS & GNATWRENS: Polioptilidae

Tropical Gnatcatcher - *Polioptila plumbea* (Bolombolo area)

DIPPER: Cinclidae

White-capped Dipper - *Cinclus leucocephalus* (Otún Q)

DONACOBIUS: Danocobiidae

Black-capped Donacobius - *Donacobius atricapilla* (Porce Area)

THRUSHES: Turdidae

Andean Solitaire - *Myadestes ralloides* (La Romera R)
Slaty-backed Nightingale - *Thrush* - *Catharus fuscater* " "
Swainson's Thrush - *Catharus ustulatus* (La Romera R)
Black Solitaire - *Entomodestes coracinus* Near endemic (Tatamá NP)
Pale-eyed Thrush - *Turdus leucops* (Otún Q)
Black-billed Thrush - *Turdus ignobilis* (Porce Area)
Great Thrush - *Turdus fuscater* (La Romera R)

MOCKINGBIRD: Mimidae

Tropical Mockingbird - *Mimus gilvus* (Porce area)

TANAGERS: Thraupidae

White-capped Tanager - *Sericossypha albocristata* (Otún Q)
Black-capped Hemispingus - *Hemispingus atropileus* (Río Blanco)
Superciliaried Hemispingus - *Hemispingus superciliaris* " "

Oleaginous Hemispingus - <i>Hemispingus frontalis</i>	" "		
Black-eared Hemispingus - <i>Hemispingus melanotis</i>	" "		
Black-headed Hemispingus - <i>Hemispingus verticalis</i>			
Gray-hooded Bush Tanager - <i>Cnemoscopus rubrirostris</i>	" "		
White-lined Tanager - <i>Tachyphonus rufus</i>	(Porce area)		
Crimson-backed Tanager - <i>Ramphocelus dimidiatus</i>	" "		
Flame-rumped Tanager - <i>Ramphocelus flammigerus</i>	(Otún Q)		
Black-and-gold Tanager - <i>Bangsia melanochlamys</i>	Endemic Vulnerable		(Tatamá NP)
Gold-ringed Tanager - <i>Bangsia aureocincta</i>	Endemic Endangered Vulnerable	" "	" "
Hooded Mountain-Tanager - <i>Buthraupis montana</i>			(Hotel Termales area)
Black-chested Mountain-Tanager - <i>Cnemathraupis eximia</i>			(Sumapaz NP)
Grass-green Tanager - <i>Chlorornis riefferii</i>			(Yellow-eared Parrot R)
Lacrimose Mountain-Tanager - <i>Anisognathus lacrymosus</i>		" "	" "
Scarlet-bellied Mountain-Tanager - <i>Anisognathus igniventris</i>			(Hotel Termales area)
Blue-winged Mountain-Tanager - <i>Anisognathus somptuosus</i>			(Río Blanco)
Black-chinned Mountain-Tanager - <i>Anisognathus notabilis</i>	Near endemic		(Tatamá NP)
Buff-breasted Mountain-Tanager - <i>Dubusia taeniata</i>			(Río Blanco)
Purplish-mantled Tanager - <i>Iridosornis porphyrocephalus</i>	Near-threatened		(Tatamá NP)
Golden-crowned Tanager - <i>Iridosornis rufivertex</i>			(Hotel Termales area)
Glistening-green Tanager - <i>Chlorochrysa phoenicotis</i>	Near endemic		(Tatamá NP)
Multicolored Tanager - <i>Chlorochrysa nitidissima</i>		Endemic Vulnerable	
Blue-gray Tanager - <i>Thraupis episcopus</i>			
Palm Tanager - <i>Thraupis palmarum</i>			
Blue-capped Tanager - <i>Sporothraupis cyanocephala</i>			(Tatamá NP)
Golden-naped Tanager - <i>Tangara ruficervix</i>		(La Romera R)	
Black-capped Tanager - <i>Tangara heinei</i>		" "	
Scrub Tanager - <i>Tangara vitriolina</i>	Near endemic	(Piha R)	
Golden-hooded Tanager - <i>Tangara larvata</i>		(Porce area)	
Blue-necked Tanager - <i>Tangara cyanicollis</i>		(Otún Q)	
Rufous-throated Tanager - <i>Ixothraupis rufigula</i>	Near endemic	(Tatamá NP)	
Speckled Tanager - <i>Ixothraupis guttata</i>		(Piha R)	
Blue-and-black Tanager - <i>Tangara vassorii</i>		(Río Blanco R)	
Beryl-spangled Tanager - <i>Tangara nigroviridis</i>		" "	
Metallic-green Tanager - <i>Tangara labradorides</i>		" "	
Plain-colored Tanager - <i>Tangara inornata</i>		(Porce area)	
Bay-headed Tanager - <i>Tangara gyrola</i> (Piha R)			
Flame-faced Tanager <i>Tangara parzudakii</i>		(Tatamá NP)	
Golden Tanager - <i>Tangara arthus</i>		(La Romera R)	
Silver-throated Tanager - <i>Tangara icterocephala</i>		(Tatamá NP)	
Swallow Tanager - <i>Tersina viridis</i>		(Porce area)	
Blue Dacnis - <i>Dacnis cayana</i>		" "	
Purple Honeycreeper - <i>Cyanerpes caeruleus</i>		" "	
Green Honeycreeper - <i>Chlorophanes spiza</i>		" "	

Guira Tanager - <i>Hemithraupis guira</i>		(Jardín Area)
Scarlet-and-white Tanager - <i>Chrysothlypis salmoni</i>	Near endemic	(Piha R)
Blue-backed Conebill - <i>Conirostrum sitticolor</i>		(Yellow-eared Parrot R)
Capped Conebill - <i>Conirostrum albifrons</i>		(Río Blanco R)
Rufous-browed Conebill - <i>Conirostrum rufum</i>	Near endemic	(Sumapaz NP)
Chestnut-bellied Flowerpiercer <i>Diglossa gloriosissima</i>	Endemic	Endangered Vulnerable (Tatamá NP)
Glossy Flowerpiercer - <i>Diglossa lafresnayii</i>		(Sumapaz NP)
Black Flowerpiercer - <i>Diglossa humeralis</i>		(Chicaque R)
White-sided Flowerpiercer - <i>Diglossa albilatera</i>		(Río Blanco R)
Indigo Flowerpiercer - <i>Diglossa indigotica</i>		(Piha R)
Rusty Flowerpiercer - <i>Diglossa sittoides</i>		(Río Blanco R)
Bluish Flowerpiercer - <i>Diglossa caerulescens</i>		" "
Masked Flowerpiercer - <i>Diglossa cyanea</i>		" "
Plushcap - <i>Catamblyrhynchus diadema</i>		(Río Blanco R)
Plumbeous Sierra-Finch - <i>Phrygilus unicolor</i>		(Sumapaz NP)
Saffron Finch - <i>Sicalis flaveola</i>		
Blue-black Grassquit - <i>Volatinia jacarina</i>		(Porce area)
Ruddy-breasted - <i>Seedeater Sporophila minuta</i>		" "
Variable Seedeater - <i>Sporophila corvina</i>		(Tatamá NP)
Gray Seedeater - <i>Sporophila intermedia</i>		
Black-and-white - <i>Seedeater Sporophila luctuosa</i>		(Porce area)
Yellow-bellied Seedeater - <i>Sporophila nigricollis</i>		" "
Band-tailed Seedeater - <i>Catamenia analis</i>		(Nevados NP)
Plain-colored Seedeater - <i>Catamenia inornata</i>		(Nevados NP)
Paramo Seedeater - <i>Catamenia homochroa</i>		" "
Bananaquit - <i>Coereba flaveola</i>		(Porce area)
Yellow-faced Grassquit - <i>Tiaris olivaceus</i>		" "
Buff-throated Saltator - <i>Saltator maximus</i>		" "
Black-winged Saltator - <i>Saltator atripennis</i>		(La Romera)
Grayish Saltator - <i>Saltator coerulescens</i>		(Porce area)
Streaked Saltator - <i>Saltator striatipectus</i>		(Otún Q)
Masked Saltator - <i>Saltator cinctus</i>	Near-threatened	Vulnerable (Río Blanco R)

SPARROWS & ALLIES: Emberezidae

Tanager Finch - <i>Oreothraupis arremonops</i>	Near endemic	Vulnerable (Tatamá NP)
Yellow-throated Chlorospingus - <i>Chlorospingus flavigularis</i>		(Piha R)
Ashy-throated Chlorospingus - <i>Chlorospingus canigularis</i>		(Río Blanco R)
Common Chlorospingus - <i>Chlorospingus flavopectus</i>		(La Romera)
Dusky Chlorospingus - <i>Chlorospingus semifuscus</i>		(Tatamá NP)
Black-headed Brushfinch - <i>Arremon atricapillus</i>	Near endemic	(Porce area)
Gray-browed Brushfinch - <i>Arremon assimilis</i>		(Río Blanco R)
Chestnut-capped Brushfinch - <i>Arremon brunneinucha</i>		" "
Olive Finch - <i>Arremon castaneiceps</i>	Near-threatened	(Tatamá NP)

Rufous-collared Sparrow - <i>Zonotrichia capensis</i>		(Río Blanco R)
White-naped Brushfinch - <i>Atlapetes albinucha</i>		(La Romera)
Moustached Brushfinch - <i>Atlapetes albofrenatus</i>	Near endemic	(Chicaque R)
Tricolored Brushfinch - <i>Atlapetes tricolor</i>		(Tatamá NP)
Slaty Brushfinch - <i>Atlapetes schistaceus</i>		(Yellow-eared Parrot R)
Pale-naped Brushfinch - <i>Atlapetes pallidinucha</i>		(Nevados NP)
Yellow-breasted Brushfinch - <i>Atlapetes latinuchus</i>		(Chicaque R)

CARDINALS & GROSBEAKS: Cardinalidae

Summer Tanager - <i>Piranga rubra</i>		(Piha R)
Red-hooded Tanager - <i>Piranga rubriceps</i>		(Río Blanco R)
White-winged Tanager - <i>Piranga leucoptera</i>		(Piha R)
Crested Ant-Tanager - <i>Habia cristata</i>	Endemic	(Tatamá NP)
Black-backed Grosbeak - <i>Pheucticus aureoventris</i>		(Chicaque R)
Rose-breasted Grosbeak - <i>Pheucticus ludovicianus</i>		(Porce area)

WOOD WARBLERS: Parulidae

Northern Waterthrush - <i>Parkesia noveboracensis</i>		(Montezuma farm)
Black-and-white Warbler - <i>Mniotilta varia</i>		(Río Blanco R)
Tennessee Warbler - <i>Leiothlypis peregrina</i>		(Piha R)
Connecticut Warbler - <i>Oporornis agilis</i>		" "
Mourning Warbler - <i>Geothlypis philadelphia</i>		" "
American Redstart - <i>Setophaga ruticilla</i>		(Otún Q)
Tropical Parula - <i>Setophaga pitaiyumi</i>		(Porce area)
Bay-breasted Warbler - <i>Setophaga castanea</i>		" "
Blackburnian Warbler - <i>Setophaga fusca</i>		(Otún Q)
Yellow Warbler - <i>Setophaga petechia</i>		(Piha R)
Black-crested Warbler - <i>Myiothlypis nigrocristata</i>		(Chicaque R)
Russet-crowned Warbler - <i>Myiothlypis coronata</i>		(La Romera R)
Three-striped Warbler - <i>Basileuterus tristriatus</i>		" "
Canada Warbler - <i>Cardellina canadensis</i>		" "
Slate-throated Redstart - <i>Myioborus miniatus</i>		(Río Blanco R)
Golden-fronted Redstart - <i>Myioborus ornatus</i>	Near endemic	(Chicaque R)

ICTERIDS: Icteridae

Russet-backed Oropendola - <i>Psarocolius angustifrons</i>		(Piha R)
Crested Oropendola - <i>Psarocolius decumanus</i>		(Porce area)
Mountain Cacique - <i>Cacicus chrysonotus</i>		(Yellow-eared Parrot R)
Yellow-billed Cacique - <i>Amblycercus holosericeus</i>		(Río Blanco R)
Yellow-tailed Oriole - <i>Icterus mesomelas</i>		(Porce area)
Yellow-backed Oriole - <i>Icterus chrysater</i>		" "
Red-bellied Grackle - <i>Hypopyrrhus pyrohypogaster</i>	Endemic Vulnerable	(La Romera)

Yellow-hooded Blackbird - <i>Chrysomus icterocephalus</i>	(Sumapaz NP)
Shiny Cowbird - <i>Molothrus bonariensis</i>	(Porce area)
Carib Grackle - <i>Quiscalus lugubris</i>	" "
Eastern Meadowlark - <i>Sturnella magna</i>	(Sumapaz NP)
Red-breasted Meadowlark - <i>Sturnella militaris</i>	(Porce area)

SISKINS, CHLOROPHONIAS & EUPHONIAS: Fringillidae

Andean Siskin - <i>Spinus spinescens</i>	(Río Blanco R)
Yellow-bellied Siskin - <i>Spinus xanthogaster</i>	" "
Thick-billed Euphonia - <i>Euphonia lanirostris</i>	(Porce area)
Orange-bellied Euphonia - <i>Euphonia xanthogaster</i>	(Tatamá NP)
Blue-naped Chlorophonia - <i>Chlorophonia cyanea</i>	(Otún Q)
Chestnut-breasted Chlorophonia - <i>Chlorophonia pyrrhophrys</i>	(Tatamá NP)
Yellow-collared Chlorophonia - <i>Chlorophonia flavirostris</i>	" "

Total Taxa recorded: 436 SPECIES

Mammals:

Andean Squirrel - *Sciurus pucherani*
Colombian Red Howler - *Alouatta seniculus*
Central american Agouti - *Dasyprocta punctata*



Lachrymose Mountain Tanager - *Anisognathus lacrymosus*
Speckled Hummingbird - *Adelomyia melanogenys*
Stout-billed Cinclodes - *Cinclodes excelsior*
Yellow-eared Parrot - *Ognorhynchus icterotis*